

Author Index

- Aage Mortensen, S. *see* Henriksen, J.E.
 Abbott, C.A. *see* Van Schie, C.H.M.
 Abbraha, A., Schultz, C., Konopelska-Bahu, T., James, T., Watts, A., Stratton, I.M., Matthews, D.R. & Dunger, D.B. Glycaemic control and familial factors determine hyperlipidaemia in early childhood diabetes, 598
 Adachi, Y. *see* Ito, K.
 Addison, G.M. *see* Kilpatrick, E.S.
 Adler, G. *see* Flechtner-Mors, M.
 Adojaan, B. *see* Padaiga, Z.
 Ahmed, M. *see* Gottsäter, A.
 Ahmed, S., Bennett, S.T., Huxtable, S.J., Todd, J.A., Matthews, D.R. & Gough, S.C.L. INS VNTR allelic variation and dynamic insulin secretion in healthy adult non-diabetic Caucasian subjects, 910
 Ahn, Y.-B. *see* Song, K.-H.
 Akram, J., De Verga, V. & The Ramadan Study Group. Insulin lispro (Lys(B28), Pro(B29)) in the treatment of diabetes mellitus during the fasting month of Ramadan, 861
 Alberti, H. Diabetes in Africa, 971
 Alberti, K.G.M.M. *see* Patel, S.
 Alberti, K.G.M.M. Severe diabetic ketoacidosis: a comment, 350
 Alberti, K.G.M.M., Daly, M.E., Robinson, A., Marshall, S.M. & Mathers, J.C. The short insulin tolerance test is safe and reproducible, 352
 Alessandrini, P. *see* Moro, E.
 Algra, A. *see* Kanter, S.D.J.M.
 Alt, A. *see* Flechtner-Mors, M.
 Ambrosi, F. *see* Gregorio, F.
 Amiel, S.A. A new beginning?, 1
 Amiel, S.A. An ace in the hole?, 887
 Amiel, S.A. Blood glucose control in pregnancy, 621
 Amiel, S.A. Diabetes and driving – an insular approach, 271
 Amiel, S.A. Hale and farewell, 977
 Amiel, S.A. New ventures for *Diabetic Medicine*, 709
 Amiel, S.A. Small is beautiful – but too cheap, 445
 Ammari, F. *see* Davies, M.J.
 Ammari, F., Davies, M.J., Koppiker, N., Gregory, R. & Burden, A.C. Effect of gliclazide on plasma insulin, intact and 32/33 split proinsulin in South Asian subjects with Type 2 diabetes mellitus, 142
 Anand, P. *see* Diemel, L.T.
 Anderson, J.H. *see* Garg, S.K.
 Anderson, R.A. *see* Ravina, A.
 Anderson, S.G. *see* Wilks, R.
 Annala, A.-P. *see* Koivukangas, V.
 Anthony, P. *see* Brash, P.D.
 Antonellis, A. *see* Malecki, M.T.
 Apostolou, O. *see* Sotiropoulos, A.
 Appleton, M. *see* Lee, B.C.
 Arif, S. *see* Ejskjaer, N.T.
 Arner, P. *see* Landstedt-Hallin, L.
 Arnqvist, H.J. *see* Lindström, T.
 Asatiani, N. *see* Hod, M.
 Atkinson, A.B. *see* Hunter, S.J.
 Atkinson, A.B. *see* Mcallister, A.S.
 Atlan-Gepner, C. *see* Zevaco-Mattei, C.
 Avogaro, A. *see* Trojan, N.
 Ayis, S.A.M. *see* Patel, S.
 Babaya, N. *see* Fujisawa, T.
 Bäcklund, L.B. *see* Garpenstrand, H.
 Baigent, C. & Peto, R. Safety of metformin in Type 2 diabetes mellitus, 89
 Balkau, B. & Charles, M.A. Comment on the provisional report from the WHO consultation, 442
 Banga, J.-D. *see* Kanter, S.D.J.M.
 Bar, J. *see* Hod, M.
 Barakat, M.T. *see* Colhoun, H.M.
 Bardini, G. *see* Mannucci, E.
 Bartlett, W.A. *see* Bayly, G.R.
 Baumer, J.H. *see* Zhao, H.X.
 Bayly, G.R., Bartlett, W.A., Davies, P.H., Husband, D., Haddon, A., Game, F.L. & Jones, A.F. Laboratory-based calculation of coronary heart disease risk in a hospital diabetic clinic, 697
 Beck-Nielsen, H. *see* Christiansen, C.
 Beck-Nielsen, H. *see* Henriksen, J.E.
 Belch, J. *see* Elhadd, T.
 Bell, G.I. *see* Ng, M.C.Y.
 Bell, P.M. *see* Hunter, S.J.
 Bell, P.M. *see* Willis, A.M.
 Benbow, S.J., Cossins, L. & Macfarlane, I.A. Painful diabetic neuropathy, 632
 Bennett, F. *see* Wilks, R.
 Bennett, S.T. *see* Ahmed, S.
 Benthake, H. *see* Rausch, U.
 Bergamini, L. *see* Riccardi, G.
 Berger, W. *see* Stahl, M.
 Betts, P.R., Logatchov, M., Volkov, I., Murphy, H., Dombrowskaya, N., Borzhik, S., Ivanova, I., Twyman, S., Vartan On Behalf Of The Paediatric Teams In Moscow, Tula, Tambov & Southampton, J. An assessment of paediatric diabetes care in three centres in Russia and in Southampton, UK, 772
 Bhopal, R. *see* Patel, S.
 Bianchi, C. *see* Riccardi, G.
 Bilo, H.J.G. *see* Goddijn, P.P.M.
 Bingley, P.J. *see* Laing, S.P.
 Bingley, P.J. *see* Laing, S.P.
 Bittolo Bon, G. *see* Moro, E.

- Björntorp, P., Holm, G. & Rosmond, R. Hypothalamic arousal, insulin resistance and Type 2 diabetes mellitus, 373
- Blann, A.D. *see* Elhadd, T.
- Boavida, J. *see* Collado-Mesa, F.
- Bobbioni, E. *see* Buysschaert, M.
- Bodansky, H.J. *see* Fear, N.T.
- Bodansky, H.J. *see* Freeman, M.S.
- Bolinder, J. *see* Landstedt-Hallin, L.
- Bolton, C.H. *see* Pinkney, J.H.
- Bonney, M.-A. *see* McFarlane, R.
- Booth, A. *see* Mason, J.
- Borch-Johnsen, K. Evidence-based prevention of cardiovascular disease, 177
- Borch-Johnsen, K. *see* Olsen, B.S.
- Borzikh, S. *see* Betts, P.R.
- Bosman, D.R. Molecular and Cell Biology of Type 2 Diabetes and Its Complications, 527
- Botha, J.L. *see* Goyder, E.C.
- Botha, J.L. *see* Laing, S.P.
- Botti, G. *see* Zevaco-Mattei, C.
- Boulton, A.J.M. *see* Jude, E.B.
- Boulton, A.J.M. *see* Tentolouris, N.
- Boulton, A.J.M. *see* Van Schaik, C.H.M.
- Boyce, D. *see* Clarke, C.F.
- Bradley, C. *see* Pierce, M.
- Bradley, J.L. *see* Ejskjaer, N.T.
- Brain, H.P.S. *see* Chan, N.N.
- Brash, P.D., Foster, J., Vennart, W., Anthony, P. & Tooke, J.E. Magnetic resonance imaging techniques demonstrate soft tissue damage in the diabetic foot, 55
- Brigis, G. *see* Padaiga, Z.
- Bruce, C. *see* Fraser, R.B.
- Brunetti, P. *see* Riccardi, G.
- Bruun Andersen, C. *see* Henriksen, J.E.
- Bryant, V.M., Wilson, A., Jones, T.H. & Hague, R.V. A high-uptake eye and foot screening service for an urban population, 609
- Bryden, N.A. *see* Ravina, A.
- Burden, A.C. *see* Ammari, F.
- Burden, A.C. *see* Davies, M.J.
- Burden, A.C. *see* Laing, S.P.
- Burden, M.L. *see* Davies, M.J.
- Buxton-Thomas, M.S. *see* Ejskjaer, N.T.
- Buysschaert, M., Bobbioni, E., Starkie, M., Frith, L. & The Troglitazone Study Group. Troglitazone in combination with sulphonylurea improves glycaemic control in Type 2 diabetic patients inadequately controlled by sulphonylurea therapy alone, 147
- Byrne, C.D., Maisson, P., Halsall, D., Martensz, N., Hales, C.N. & Wareham, N.J. Cross-sectional but not longitudinal associations between non-esterified fatty acid levels and glucose intolerance and other features of the metabolic syndrome, 1007
- Cai, F. *see* Diemel, L.T.
- Carle, F. *see* Gregorio, F.
- Carron Brown, S., Kyne-Grzebalski, D., Mwangi, B. & Taylor, R. Effect of management policy on 120 Type 1 diabetic pregnancies: policy decisions in practice, 573
- Cársky, J. *see* Muchová, J.
- Carson, D.J. *see* Hargrave, D.R.
- Casamitjana, R. *see* Rodríguez-Villar, C.
- Cazzolato, G. *see* Moro, E.
- Cecil, A. *see* Simmons, D.
- Celermajer, D.S. *see* McFarlane, R.
- Cepaitis, Z. *see* Padaiga, Z.
- Cha, B.-Y. *see* Song, K.-H.
- Chan, A.K.F. *see* Duffin, A.C.
- Chan, J.C.N. *see* Ko, G.T.C.
- Chan, J.C.N. *see* Ng, M.C.Y.
- Chan, N.N., Brain, H.P.S. & Feher, M.D. Metformin-associated lactic acidosis: a rare or very rare clinical entity?, 273
- Chan, W.-B. *see* Ko, G.T.C.
- Chang, C.-T. *see* Chen, C.C.
- Chanturia, T. *see* Hod, M.
- Charbonnel, B. *see* Colombel, A.
- Charles, M.A. *see* Balkau, B.
- Chase, H.P. *see* Garg, S.K.
- Chaturvedi, N. *see* Yudkin, J.S.
- Chaudhuri, K.R. *see* Winkler, A.S.
- Chen, C.C. & Chang, C.-T. Is the short insulin tolerance test safe and reproducible?, 353
- Chen, H.S. *see* Hwu, C.M.
- Chow, C.-C. *see* Ng, M.C.Y.
- Christensen, N.J. *see* Nielsen, F.S.
- Christensen, P.K., Rossing, P., Nielsen, F.S. & Parving, H.-H. Natural course of kidney function in Type 2 diabetic patients with diabetic nephropathy, 388
- Christiansen, C., Poulsen, P. & Beck-Nielsen, H. The Trp64Arg mutation of the adrenergic β -3 receptor gene impairs insulin secretion: a twin study, 835
- Clarke, C.F., Eason, M., Reilly, A., Boyce, D. & Werther, G.A. Autonomic nerve function in adolescents with Type 1 diabetes mellitus: relationship to microalbuminuria, 550
- Clarkson, P. *see* Meeking, D.R.
- Clements, G.B. *see* Nairn, C.
- Cockburn, B.N. *see* Ng, M.C.Y.
- Cockcroft, J.R. *see* Gazis, A.
- Cockram, C.S. *see* Ko, G.T.C.
- Cockram, C.S. *see* Ng, M.C.Y.
- Colhoun, H.M. *see* Collado-Mesa, F.
- Colhoun, H.M., Dong, W., Barakat, M.T., Mather, H.M. & Poulter, N.R. The scope for cardiovascular disease risk factor intervention among people with diabetes mellitus in England: a population-based analysis from the Health Surveys for England 1991-94, 35
- Collado-Mesa, F., Colhoun, H.M., Stevens, L.K., Boavida, J., Ferriss, J.B., Karamanos, B., Kempler, P., Michel, G., Roglic, G., Fuller, J.H. & The EURODIAB IDDM Complications Study Group, J.H. Prevalence and management of hypertension in Type 1 diabetes mellitus in Europe: the EURODIAB IDDM Complications Study, 41
- Colman, P.G. *see* Wood, D.M.
- Colombel, A., Murat, A., Krempf, M., Kuchly-Anton, B. & Charbonnel, B. Improvement of blood glucose control in Type 1 diabetic patients treated with lispro and multiple NPH injections, 319
- Conget, I. *see* Costa, A.
- Conget, I. *see* Rodríguez-Villar, C.

- Connell, J.M.C. *see* Kennon, B.
- Connor, H. Diabetic foot disease – where is the evidence?, 799
- Connor, H. *see* Jude, E.B.
- Contadini, S. *see* Riccardi, G.
- Cooper, R.S. *see* Wilks, R.
- Coppini, D.V., Weng, C. & Sönksen, P.H. Achilles' tendon squeeze test: a quick, easy and cheap way to identify the at-risk foot?, 793
- Cossins, L. *see* Benbow, S.J.
- Costa, A. & Conget, I. Fasting plasma glucose diagnostic criteria for diabetes mellitus. Reply, 970
- Costa, A., Rios, M., Fernandez, M., Gomis, R. & Conget, I. The 1997 ADA diabetes diagnostic categories: impact on employees' annual medical examination, 528
- Coulter, W.A. *see* Willis, A.M.
- Critchley, J.A.J.H. *see* Ng, M.C.Y.
- Cronin, C.C. *see* O'Connor, T.M.
- Crook, J.R. *see* Meeking, D.R.
- Cruickshank, J.K. *see* Wilks, R.
- Cseh, K. *see* Winkler, G.
- Cummings, M.H. *see* Meeking, D.R.
- Curtis, S. *see* Malecki, M.T.
- Dahlquist, G. *see* Padaiga, Z.
- Daly, M.E. *see* Alberti, K.G.M.M.
- David-Duflho, M. *see* Miossec, P.
- Davies, M., Muehlbauer, S., Garrick, P. & McNally, P.G. Potential impact of a change in the diagnostic criteria for diabetes mellitus on the prevalence of abnormal glucose tolerance in a local community at risk of diabetes: impact of new diagnostic criteria for diabetes mellitus, 343
- Davies, M.J. & Burden, A.C. Screening for type 2 diabetes mellitus in the UK Indo-Asian population. Reply, 795
- Davies, M.J. *see* Ammari, F.
- Davies, M.J., Ammari, F., Sherriff, C., Burden, M.L., Gujral, J. & Burden, A.C. Screening for Type 2 diabetes mellitus in the UK Indo-Asian population, 131
- Davies, P.H. *see* Bayly, G.R.
- Dawson, K.G. *see* Gerstein, H.C.
- Day, C. Thiazolidiones: a new class of antidiabetic drugs, 179
- De Bruin, T.W.A. *see* Kanter, S.D.J.M.
- De Verga, V. *see* Akram, J.
- Dean, J.D. *see* Julier, K.
- Demaine, A.G. *see* Zhao, H.X.
- Deng, X.X. *see* Li, C.L.
- Devynck, M.A. *see* Miossec, P.
- Diemel, L.T., Cai, F., Anand, P., Warner, G., Kopelman, P.G., Fernyhough, P. & Tomlinson, D.R. Increased nerve growth factor mRNA in lateral calf skin biopsies from diabetic patients, 113
- Ditschuneit, H.H. *see* Flechtner-Mors, M.
- Dodds, W. *see* Ejskjaer, N.T.
- Dombrowskaya, N. *see* Betts, P.R.
- Donaghue, K.C. *see* Duffin, A.C.
- Donald, A. *see* Meeking, D.R.
- Dong, W. *see* Colhoun, H.M.
- Dowey, J.A. Dental care of patients with diabetes mellitus, 173
- Downs, L. *see* Pinkney, J.H.
- Drucquer, M. *see* Goyder, E.C.
- Duffin, A.C., Donaghue, K.C., Potter, M., McInnes, A., Chan, A.K.F., King, J., Howard, N.J. & Silink, M. Limited joint motility in the hands and feet of adolescents with Type 1 diabetes mellitus, 125
- Dunger, D.B. *see* Abrahams, A.
- Duracková, Z. *see* Muchová, J.
- Durrington, P.N. *see* Julier, K.
- Dworak, O. *see* Winkler, G.
- Eason, M. *see* Clarke, C.F.
- Eaton, S. *see* Rajbhandari, S.
- Edmonds, M.E. *see* Ejskjaer, N.T.
- Edmonds, M.E. *see* Mantey, I.
- Egberts, E.-H. *see* Holstein, A.
- Ejskjaer, N.T., Arif, S., Dodds, W., Zanone, M.M., Vergani, D., Watkins, P.J. & Peakman, M. Prevalence of autoantibodies to autonomic nervous tissue structures in Type 1 diabetes mellitus, 544
- Ejskjaer, N.T., Bradley, J.L., Buxton-Thomas, M.S., Edmonds, M.E., Howard, E.R., Purewal, T., Thomas, P.K. & Watkins, P.J. Novel surgical treatment and gastric pathology in diabetic gastroparesis, 488
- Eklblom, J. *see* Garpenstrand, H.
- Elhadd, T., Kirk, G., McLaren, M., Newton, R., Greene, S., Belch, J., Lip, G.Y.H. & Blann, A.D. Endothelial integrity, soluble adhesion molecules and platelet markers in Type 1 diabetes mellitus, 86
- Elphick, A. *see* Hod, M.
- Endo, G. *see* Uchimoto, S.
- Ennis, C.N. *see* Hunter, S.J.
- Ercilla, G. *see* Rodriguez-Villar, C.
- Erkelens, D.W. *see* Kanter, S.D.J.M.
- European Diabetes Policy Group 1998. A desktop guide to Type 1 (insulin-dependent) diabetes mellitus, 253
- European Diabetes Policy Group 1999. A desktop guide to Type 2 diabetes mellitus, 716
- Farmer, A., Levy, J.C. & Turner, R.C. Knowledge of risk of developing diabetes mellitus among siblings of Type 2 diabetic patients, 233
- Fear, N.T., McKinney, P.A., Patterson, C.C., Parslow, R.C. & Bodansky, H.J. Childhood Type 1 diabetes mellitus and parental occupations involving social mixing and infectious contacts: two population-based case-control studies, 1025
- Feher, M.D. *see* Chan, N.N.
- Feher, M.D. *see* Lawrenson, R.
- Fernandez, M. *see* Costa, A.
- Fernlund, P. *see* Gortsäter, A.
- Fernyhough, P. *see* Diemel, L.T.
- Ferriss, J.B. *see* Collado-Mesa, F.
- Feskens, E.J.M. *see* Goddijn, P.P.M.
- Festa, A., Shnawa, N., Krugluger, W., Hopmeier, P., Scherthaner, G. & Haffner, S.M. Relative hypoleptinaemia in women with mild gestational diabetes mellitus, 656
- Filipponi, P. *see* Gregorio, F.
- Finn, J.-R. *see* Ruhnau, K.-J.
- Fiore, G. *see* Galeone, F.
- Firth, R.G. *see* O'Connor, T.M.

- Fisher, B.M. Interventional cardiology in people with diabetes, 531
- Fisher, J. *see* Taylor, D.J.
- Fisher, L. *see* Lernmark, B.
- Fiskén, R.A. Severe diabetic ketoacidosis: the need for large doses of insulin, 347
- Flechtner-Mors, M., Ditschuneit, H.H., Jenkinson, C.P., Alt, A. & Adler, G. Metformin inhibits catecholamine-stimulated lipolysis in obese, hyperinsulinaemic, hypertensive subjects in subcutaneous adipose tissue: an *in situ* microdialysis study, 1000
- Forrester, T. *see* Wilks, R.
- Foster, A.V.M. *see* Mantey, I.
- Foster, J. *see* Brash, P.D.
- Fourie, J.M. *see* Levitt, N.S.
- Fraser, R.B. & Bruce, C. Amniotic fluid insulin levels identify the fetus at risk of neonatal hypoglycaemia, 568
- Freeman, M.S. & Bodansky, H.J. Effectiveness of treatment for impotence in diabetic men, 1048
- Frith, L. *see* Buyschaert, M.
- Fujii, M. *see* Ito, K.
- Fujii, S. *see* Uchimoto, S.
- Fujisawa, T., Ikegami, H., Kawaguchi, Y., Yamato, E., Nakagawa, Y., Shen, G.-Q., Fukuda, M. & Ogihara, T. Length rather than a specific allele of dinucleotide repeat in the 5' upstream region of the aldose reductase gene is associated with diabetic retinopathy, 1044
- Fujisawa, T., Ikegami, H., Yamamoto, E., Kawaguchi, Y., Ueda, H., Shintani, M., Nojima, K., Kawabata, Y., Ono, M., Nishino, T., Noso, S., Yamada, K., Babaya, N., Okamoto, N., Ohguro, N., Fukuda, M. & Ogihara, T. Association of plasma fibrinogen level and blood pressure with diabetic nephropathy, and renal complications associated with proliferative diabetic retinopathy, in Type 2 diabetes mellitus, 522
- Fukuda, M. *see* Fujisawa, T.
- Fuller, J.H. *see* Collado-Mesa, F.
- Fulton, C.R. *see* Willis, A.M.
- Gabazza, E.C. *see* Ito, K.
- Gaddi, O., Tortorella, G., Picano, E., Pantaleoni, M., Manicardi, E., Varga, A., Moneta, I. & Guiducci, U. Diagnostic and prognostic value of vasodilator stress echocardiography in asymptomatic Type 2 diabetic patients with positive exercise thallium scintigraphy: a pilot study, 762
- Gadour, M. *see* Rajbhandari, S.
- Galbraith, D.N. *see* Nairn, C.
- Galeone, F., Fiore, G. & Mannucci, E. Medium-term hypoglycaemic effects of two different oral formulations of gliclazide, 618
- Game, F.L. *see* Bayly, G.R.
- Garaiová, I. *see* Muchová, J.
- Garay-Sevilla, M.E., Malacara, J.M., Gutiérrez-Roa, A. & González, E. Denial of disease in Type 2 diabetes mellitus: its influence on metabolic control and associated factors, 238
- Garg, S.K., Anderson, J.H., Perry, S.V., Mackenzie, T., Keith, P., Jennings, M.K., Hansen, M.M. & Chase, H.P. Long-term efficacy of Humalog® in subjects with Type 1 diabetes mellitus, 384
- Garpenstrand, H., Ekblom, J., Bäcklund, L.B., Orelund, L. & Rosenqvist, U. Elevated plasma semicarbazide-sensitive (SSAO) activity in Type 2 diabetes mellitus complicated by retinopathy, 514
- Garrick, P. *see* Davies, M.
- Gazis, A., White, D.J., Page, S.R. & Cockcroft, J.R. Effect of oral vitamin E (α -tocopherol) supplementation on vascular endothelial function in Type 2 diabetes mellitus, 304
- Genetics Group, J. *see* Lorenzen, T.
- Gerstein, H.C., Reddy, S.S.K., Dawson, K.G., Yale, J.F., Shannon, S. & Norman, G. A controlled evaluation of a national continuing medical education programme designed to improve family physicians' implementation of diabetes-specific clinical practice guidelines, 964
- Gill, G.V. *see* Weston, P.J.
- Goddijn, P.P.M., Bilo, H.J.G., Feskens, E.J.M., Groenier, K.H., Van Der Zee, K.I. & Meyboom-De Jong, B. Longitudinal study on glycaemic control and quality of life in patients with Type 2 diabetes mellitus referred for intensified control, 23
- Goh, K.L. *see* Tooke, J.E.
- Golay, A. *see* Morel, Y.
- Gomis, R. *see* Costa, A.
- Gomis, R. *see* Rodríguez-Villar, C.
- González, E. *see* Garay-Sevilla, M.E.
- Goto, H. *see* Ito, K.
- Gottsäter, A., Ahmed, M., Fernlund, P. & Sundkvist, G. Autonomic neuropathy in Type 2 diabetic patients is associated with hyperinsulinaemia and hypertriglyceridaemia, 49
- Gough, S.C.L. *see* Ahmed, S.
- Goyder, E.C., Spiers, N., McNally, P.G., Drucquer, M. & Botha, J.L. Do diabetes clinic attendees stay out of hospital? A matched case-control study, 687
- Gravholt, H. *see* Ørskov, L.
- Greene, S. *see* Elhadd, T.
- Gregorio, F., Ambrosi, F., Manfrini, S., Velussi, M., Carle, F., Testa, R., Merante, D. & Filipponi, P. Poorly controlled elderly Type 2 diabetic patients: the effects of increasing sulphonylurea dosages or adding metformin, 1016
- Gregory, R. *see* Ammari, F.
- Groeneveld, Y., Petri, H., Hermans, J. & Springer, M.P. Relationship between blood glucose level and mortality in Type 2 diabetes mellitus: a systematic review, 2
- Groenier, K.H. *see* Goddijn, P.P.M.
- Groop, L. *see* Landstedt-Hallin, L.
- Guiducci, U. *see* Gaddi, O.
- Gujral, J. *see* Davies, M.J.
- Gulliford, M.C. & Mahabir, D. A five-year evaluation of intervention in diabetes care in Trinidad and Tobago, 939
- Gulliford, M.C. & Mejia, A. Trends in diabetes mellitus in Greater London, 1991–2011. associations with ethnicity, 174
- Gutiérrez-Roa, A. *see* Garay-Sevilla, M.E.
- Haddon, A. *see* Bayly, G.R.
- Haffner, S.M. *see* Festa, A.
- Hague, R.V. *see* Bryant, V.M.
- Hales, C.N. *see* Byrne, C.D.
- Halsall, D. *see* Byrne, C.D.
- Hambley, H. *see* Winkler, A.S.
- Hanefeld, M., Temelkova-Kurktschiev, T., Schaper, F., Henkel, E., Siegert, G. & Koehler, C. Impaired fasting glucose is not a risk factor for atherosclerosis, 212

- Hansen, H.P. *see* Nielsen, F.S.
Hansen, M.M. *see* Garg, S.K.
Hargrave, D.R., McMaster, C., O'hare, M.M.T. & Carson, D.J.
Tobacco smoke exposure in children and adolescents with diabetes mellitus, 31
Harland, J. *see* Patel, S.
Harmos, G. *see* Winkler, G.
Harper, V. *see* Mires, G.J.
Harris, N.D. & Heller, S.R. Sudden death in young patients with Type 1 diabetes: a consequence of disease, treatment or both?, 623
Harris, N.D. *see* Rajbhandari, S.
Hattersley, A.T. *see* Lee, B.C.
Hawthorne, K. & Tomlinson, S. Pakistani moslems with Type 2 diabetes mellitus: effect of sex, literacy skills, known diabetic complications and place of care on diabetic knowledge, reported self-monitoring management and glycaemic control, 591
Hayashi, T. *see* Uchimoto, S.
Hayes, J.R. *see* Willis, A.M.
Hayworth, J. *see* Pierce, M.
Heinemann, L., Sinha, K., Weyer, C., Loftager, M., Hirschberger, S. & Heise, T. Time-action profile of the soluble, fatty acid acylated, long-acting insulin analogue NN304, 332
Heise, T. *see* Heinemann, L.
Heller, S.R. *see* Harris, N.D.
Henkel, E. *see* Hanefeld, M.
Henriksen, J.E., Bruun Andersen, C., Hother-Nielsen, O., Vaag, A., Aage Mortensen, S. & Beck-Nielsen, H. Impact of ubiquinone (coenzyme Q₁₀) treatment on glycaemic control, insulin requirement and well-being in patients with Type 1 diabetes mellitus, 312
Hermans, J. *see* Groeneveld, Y.
Hill, R.D. *see* Laing, S.P.
Hinze, S. *see* Holstein, A.
Hirschberger, S. *see* Heinemann, L.
Ho, L.T. *see* Hwu, C.M.
Hod, M., Asatiani, N., Elphick, A., Kurashvili, R., Natsvlishvili, M., Chanturia, T., Bar, J. & Peled, Y. Twinning project: Israel and Georgia – the birth of a Diabetes-in-Pregnancy Centre in Georgia, 645
Hoffman, M. *see* Levitt, N.S.
Hollis, S. *see* Van Schie, C.H.M.
Holm, G. *see* Björntorp, P.
Holstein, A., Nahrwold, D., Hinze, S. & Egberts, E.-H. Contraindications to metformin therapy are largely disregarded, 692
Hopmeier, P. *see* Festa, A.
Hopton, M. *see* Pinkney, J.H.
Hother-Nielsen, O. *see* Henriksen, J.E.
Hotta, N. *see* Suzuki, K.
Hougaard, P. *see* Olsen, B.S.
Howard, E.R. *see* Ejskjaer, N.T.
Howard, N.J. *see* Duffin, A.C.
Hsiao, L.C. *see* Hwu, C.M.
Hsueh, E.-J. *see* Yeh, S.-P.
Hughes, P. *see* Zhao, H.X.
Hunter, S.J., Wiggam, M.I., Ennis, C.N., Whitehead, H.M., Sheridan, B., Atkinson, A.B. & Bell, P.M. Comparison of effects of captopril used either alone or in combination with thiazide diuretic on insulin action in hypertensive type 2 diabetic patients: a double blind crossover study, 482
Husband, D. *see* Bayly, G.R.
Hutchinson, A. *see* Mason, J.
Huxtable, S.J. *see* Ahmed, S.
Hwu, C.M., Kwok, C.F., Chen, H.S., Shih, K.C., Lee, S.H., Hsiao, L.C., Lin, S.H. & Ho, L.T. Lack of effect of simvastatin on insulin sensitivity in Type 2 diabetic patients with hypercholesterolaemia: results from a double-blind, randomized, placebo-controlled crossover study, 749
Ichikawa, F., Yamada, K., Ishiyama-Shigemoto, S., Yuan, X. & Nonaka, K. Association of an (A-C)n dinucleotide repeat polymorphic marker at the 5'-region of the aldose reductase gene with retinopathy but not with nephropathy or neuropathy in Japanese patients with Type 2 diabetes mellitus, 744
Ikegami, H. *see* Fujisawa, T.
Ilonen, J. *see* Nejentsev, S.
Iori, E. *see* Trojan, N.
Ishiyama-Shigemoto, S. *see* Ichikawa, F.
Ito, K., Nakatani, K., Fujii, M., Katsuki, A., Tsuchihashi, K., Murata, K., Goto, H., Yano, Y., Gabazza, E.C., Sumida, Y. & Adachi, Y. Codon 54 polymorphism of the fatty acid binding protein gene and insulin resistance in the Japanese population, 119
Ivanova, I. *see* Betts, P.R.
Jacob, J. *see* Taylor, D.J.
Jacobsen, P. *see* Nielsen, F.S.
James, T. *see* Abbraha, A.
Jenkinson, C.P. *see* Flechtner-Mors, M.
Jennings, M.K. *see* Garg, S.K.
Johannesen, J. *see* Lorenzen, T.
Johannesen, J. *see* Olsen, B.S.
Johnston, G.D. *see* McCallister, A.S.
Jones, A.F. *see* Bayly, G.R.
Jones, S.C., Saunders, H.J. & Pollock, C.A. High glucose increases growth and collagen synthesis in cultured human tubulointerstitial cells, 932
Jones, T.H. *see* Bryant, V.M.
Jude, E.B. *see* Tentolouris, N.
Jude, E.B., Spittle, M., Connor, H. & Boulton, A.J.M. The Diabetic Foot 1998, 170
Julier, K., Mackness, M.I., Dean, J.D. & Durrington, P.N. Susceptibility of low- and high-density lipoproteins from diabetic subjects to *in vitro* oxidative modification, 415
Kang, S.-K. *see* Song, K.-H.
Kanters, S.D.J.M., Algra, A., De Bruin, T.W.A., Erkelens, D.W. & Banga, J.-D. Intensive lipid lowering strategy in patients with diabetes mellitus, 500
Karamanos, B. *see* Collado-Mesa, F.
Karvonen, M. *see* Padaiga, Z.
Katsuki, A. *see* Ito, K.
Kaufman, J.S. *see* Wilks, R.
Kawabata, Y. *see* Fujisawa, T.
Kawamura, T. *see* Suzuki, K.
Keen, H. *see* Laing, S.P.

- Keen, H. *see* Pierce, M.
 Keevil, B.G. *see* Kilpatrick, E.S.
 Keith, P. *see* Garg, S.K.
 Kempler, P. *see* Collado-Mesa, F.
 Kenealy, T. *see* Simmons, D.
 Kennon, B., Petrie, J.R., Small, M. & Connell, J.M.C.
 Angiotensin-converting enzyme gene and diabetes, 448
 Kerényi, Z., Stella, P., Nádasdi, Á., Tabák, Á.G. & Tamás, G.
 Association between cardiovascular autonomic neuropathy
 and multi-metabolic syndrome in a special cohort of women
 with prior gestational diabetes mellitus, 794
 Kilpatrick, E.S., Keevil, B.G., Richmond, K.L., Newland, P. &
 Addison, G.M. Plasma 1,5-anhydroglucitol concentrations
 are influenced by variations in the renal threshold for glucose,
 496
 King, J. *see* Duffin, A.C.
 Kirk, G. *see* Elhadd, T.
 Knip, M. *see* Nejentsev, S.
 Knowles, E.A. *see* Tentolouris, N.
 Ko, G.T.C., Chan, W.-B., Chan, J.C.N., Tsang, L.W.W. &
 Cockram, C.S. Gastrointestinal symptoms in Chinese patients
 with Type 2 diabetes mellitus, 670
 Kobayashi, K. *see* Nagai, Y.
 Koehler, C. *see* Hanefeld, M.
 Kohtamäki, K. *see* Padaiga, Z.
 Koivukangas, V., Annala, A.-P., Salmela, P.I. & Oikarinen, A.
 Delayed restoration of epidermal barrier function after suction
 blister injury in patients with diabetes mellitus, 563
 Kong, N. & Ryder, R.E.J. What is the role of between meal snacks
 with intensive basal bolus regimens using preprandial lispro?,
 325
 Konopelska-Bahu, T. *see* Abraha, A.
 Kopelman, P.G. *see* Diemel, L.T.
 Koppiker, N. *see* Ammari, F.
 Kotsini, V. *see* Sotiropoulos, A.
 Kovács, M. *see* Winkler, G.
 Krempf, M. *see* Colombel, A.
 Kristiansen, O.P. *see* Lorenzen, T.
 Krolewski, A.S. *see* Malecki, M.T.
 Krugluger, W. *see* Festa, A.
 Kuchly-Anton, B. *see* Colombel, A.
 Kurashvili, R. *see* Hod, M.
 Kwok, C.F. *see* Hwu, C.M.
 Kyne-Grzebalski, D. *see* Carron Brown, S.
 Kyne-Grzebalski, D., Wood, L., Marshall, S.M. & Taylor, R.
 Episodic hyperglycaemia in pregnant women with well-
 controlled Type 1 diabetes mellitus: a major potential factor
 underlying macrosomia, 702
 Laing, P.W. *see* Smith, A.L.
 Laing, S.P., Swerdlow, A.J., Slater, S.D., Botha, J.L., Burden,
 A.C., Waugh, N.R., Smith, A.W.M., Hill, R.D., Bingley, P.J.,
 Patterson, C.C., Qiao, Z. & Keen, H. The British Diabetic
 Association Cohort Study, I: all-cause mortality in patients
 with insulin-treated diabetes mellitus, 459
 Laing, S.P., Swerdlow, A.J., Slater, S.D., Botha, J.L., Burden,
 A.C., Waugh, N.R., Smith, A.W.M., Hill, R.D., Bingley, P.J.,
 Patterson, C.C., Qiao, Z. & Keen, H. The British Diabetic
 Association Cohort Study, II: cause-specific mortality in
 patients with insulin-treated diabetes mellitus, 466
 Lakatos, P. *see* Winkler, G.
 Lambert, E.V. *see* Levitt, N.S.
 Lamey, P.-J. *see* Willis, A.M.
 Landstedt-Hallin, L., Arner, P., Lins, P.-E., Bolinder, J., Olsen, H.,
 Groop, L. & The Scandinavian Insulin-Sulphonylurea Study
 Group Research Team. The role of sulphonylurea in combi-
 nation therapy assessed in a trial of sulphonylurea withdrawal,
 827
 Länne, T. *see* Rydén Ahlgren, Å.
 Lassmann-Vague, V. *see* Zevaco-Mattei, C.
 Lawrenson, R., Leydon, G.M., Williams, T.J., Newson, R.B. &
 Feher, M.D. Patterns of contraception in UK women with
 Type 1 diabetes mellitus: a GP database study, 395
 Lee, B.C., Appleton, M., Shore, A.C., Tooke, J.E. & Hattersley,
 A.T. Impaired maximum microvascular hyperaemia in
 patients with MODY 3 (hepatocyte nuclear factor-1 α gene
 mutations), 731
 Lee, K.-W. *see* Song, K.-H.
 Lee, S.H. *see* Hwu, C.M.
 Lee, Z.S.K. *see* Ng, M.C.Y.
 Lehmann, T. *see* Morel, Y.
 Lernmark, B., Persson, B., Fisher, L. & Rydelius, P.-A. Symptoms
 of depression are important to psychological adaptation and
 metabolic control in children with diabetes mellitus, 14
 Levitt, N.S., Steyn, K., Lambert, E.V., Reagon, G., Lombard, C.J.,
 Fourie, J.M., Rossouw, K. & Hoffman, M. Modifiable risk
 factors for Type 2 diabetes mellitus in a peri-urban community
 in South Africa, 946
 Levy, J.C. *see* Farmer, A.
 Leydon, G.M. *see* Lawrenson, R.
 Li, C.L., Pan, C.Y., Lu, J.H., Zhu, Y., Wang, J.H., Deng, X.X.,
 Xia, F.C., Wang, H.Z. & Wang, H.Y. Effect of metformin on
 patients with impaired glucose tolerance, 477
 Li, J.K.Y. *see* Ng, M.C.Y.
 Librenti, M.C. *see* Riccardi, G.
 Lin, S.H. *see* Hwu, C.M.
 Lindner, T.H. *see* Ng, M.C.Y.
 Lindström, T., Nyström, F.H., Olsson, A.G., Ottosson, A.-M. &
 Arnqvist, H.J. The lipoprotein profile differs during insulin
 treatment alone and combination therapy with insulin and
 sulphonylureas in patients with Type 2 diabetes mellitus, 820
 Lins, P.-E. *see* Landstedt-Hallin, L.
 Liolitsa, D. *see* Stewart, R.J.
 Lip, G.Y.H. *see* Elhadd, T.
 Liptáková, A. *see* Muchová, J.
 Lo, Y.M.D. *see* Ng, M.C.Y.
 Loane, J.F. *see* O'Connor, T.M.
 Lobisch, M. *see* Ruhnau, K.-J.
 Lockett, C. *see* Rajbhandari, S.
 Loftager, M. *see* Heinemann, L.
 Logatchov, M. *see* Betts, P.R.
 Lombard, C.J. *see* Levitt, N.S.
 London, N.J.M. *see* White, S.A.
 Lorenzen, T., Pociot, F., Johannesen, J., Kristiansen, O.P., Nerup,
 J., The Danish IDDM Epidemiology & Genetics Group. A
 population-based survey of frequencies of self-reported
 spontaneous and induced abortions in Danish women with
 Type 1 diabetes mellitus, 472
 Lövgren, T. *see* Nejentsev, S.

- Lu, J.H. *see* Li, C.L.
 Luzi, L. *see* Zerbini, G.
 Macdonald, I.A. *see* Trojan, N.
 MacFarlane, I.A. *see* Benbow, S.J.
 Mackenzie, T. *see* Garg, S.K.
 Mackness, M.I. *see* Julier, K.
 Mackness, M.I. *see* Pinkney, J.H.
 Macleod, K.M. Diabetes and driving: towards equitable, evidence-based decision-making, 282
 Mahabir, D. *see* Gulliford, M.C.
 Maison, P. *see* Byrne, C.D.
 Malacara, J.M. *see* Garay-Sevilla, M.E.
 Malecki, M.T., Yang, Y., Antonellis, A., Curtis, S., Warram, J.H. & Krolewski, A.S. Identification of new mutations in the hepatocyte nuclear 4 α gene among families with early onset Type 2 diabetes mellitus, 193
 Manfrini, S. *see* Gregorio, F.
 Mangili, R. *see* Zerbini, G.
 Manicardi, E. *see* Gaddi, O.
 Mannucci, E. *see* Galeone, F.
 Mannucci, E., Bardini, G., Ognibene, A. & Rotella, C.M. Comparison of ADA and WHO screening methods for diabetes mellitus in obese patients, 579
 Mantey, I., Foster, A.V.M., Spencer, S. & Edmonds, M.E. Why do foot ulcers recur in diabetic patients?, 245
 Marescotti, M.C. *see* Trojan, N.
 Marinelli, K. *see* Olsen, B.S.
 Marra, G. *see* Riccardi, G.
 Marsden, J. *see* Winkler, A.S.
 Marshall, S.M. Blood pressure control, microalbuminuria and cardiovascular risk in Type 2 diabetes mellitus, 358
 Marshall, S.M. *see* Alberti, K.G.M.M.
 Marshall, S.M. *see* Kyne-Grzebalski, D.
 Martensz, N. *see* Byrne, C.D.
 Mason, J., O'Keeffe, C., Hutchinson, A., McIntosh, A., Young, R. & Booth, A. A systemic review of foot ulcer in patients with Type 2 diabetes mellitus. II: treatment, 889
 Mason, J., O'Keeffe, C., McIntosh, A., Hutchinson, A., Booth, A. & Young, R.J. A systemic review of foot ulcer in patients with Type 2 diabetes mellitus. I: prevention, 801
 Mather, H.M. *see* Colhoun, H.M.
 Mathers, J.C. *see* Alberti, K.G.M.M.
 Matthews, D.R. *see* Abraha, A.
 Matthews, D.R. *see* Ahmed, S.
 McAllister, A.S., Atkinson, A.B., Johnston, G.D. & Mccance, D.R. Endothelial function in offspring of Type 1 diabetic patients with and without diabetic nephropathy, 298
 Mccance, D.R. *see* Mcallister, A.S.
 Mccredie, R.J. *see* Mcfarlane, R.
 McFarlane, R., Mccredie, R.J., Bonney, M.-A., Molyneaux, L., Zilkens, R., Celermaier, D.S. & Yue, D.K. Angiotensin-converting enzyme inhibition and arterial endothelial function in adults with Type 1 diabetes mellitus, 62
 McFarlane-Anderson, N. *see* Wilks, R.
 McInnes, A. *see* Duffin, A.C.
 McIntosh, A. *see* Mason, J.
 McIntosh, A. *see* Mason, J.
 McKinney, P.A. *see* Fear, N.T.
 McLaren, M. *see* Elhadd, T.
 McMaster, C. *see* Hargrave, D.R.
 McNally, P.G. *see* Davies, M.
 McNally, P.G. *see* Goyder, E.C.
 Meeking, D.R., Cummings, M.H., Thorne, S., Donald, A., Clarkson, P., Crook, J.R., Watts, G.F. & Shaw, K.M. Endothelial dysfunction in Type 1 diabetic subjects with and without microalbuminuria, 841
 Mehnert, M. *see* Ruhnau, K.-J.
 Meissner, H.P. *see* Ruhnau, K.-J.
 Mejia, A. *see* Gulliford, M.C.
 Merante, D. *see* Gregorio, F.
 Mercier, P. *see* Zevaco-Mattei, C.
 Meyboom-De Jong, B. *see* Goddijn, P.P.M.
 Michel, G. *see* Collado-Mesa, F.
 Millward, B.A. *see* Zhao, H.X.
 Miossec, P., Zkhir, F., Pariès, J., David-Duflho, M., Devynck, M.A. & Valensi, E. Effect of pravastatin on erythrocyte rheological and biochemical properties in poorly controlled Type 2 diabetic patients, 424
 Mires, G.J., Williams, F.L.R. & Harper, V. Screening practices for gestational diabetes mellitus in UK obstetric units, 138
 Mirsky, N. *see* Ravina, A.
 Møller, N. *see* Ørskov, L.
 Molyneaux, L. *see* Mcfarlane, R.
 Moneta, I. *see* Gaddi, O.
 Monteduro, M. *see* Riccardi, G.
 Morel, Y., Golay, A., Perneger, T., Lehmann, T., Vadas, L., Pasik, C. & Reaven, G.M. Metformin treatment leads to an increase in basal, but not insulin-stimulated, glucose disposal in obese patients with impaired glucose tolerance, 650
 Moro, E., Alessandrini, P., Zambon, C., Pianetti, S., Pais, M., Cazzolato, G. & Bitto Bon, G. Is glycation of low density lipoproteins in Type 2 diabetic patients an LDL pre-oxidative condition?, 663
 Mortensen, H.B. *see* Olsen, B.S.
 Muchová, J., Liptáková, A., Országhová, Z., Garaiová, I., Tison, P., Cársky, J. & Duracková, Z. Antioxidant systems in polymorphonuclear leucocytes of Type 2 diabetes mellitus, 74
 Muehlbauer, S. *see* Davies, M.
 Murat, A. *see* Colombel, A.
 Murata, K. *see* Ito, K.
 Murphy, H. *see* Betts, P.R.
 Mwangi, B. *see* Carron Brown, S.
 Nádasdi, Á. *see* Kerényi, Z.
 Nagai, Y., Takamura, T., Nohara, E., Yamashita, H. & Kobayashi, K. Serum soluble adhesion molecule concentrations are not regulated by acute hyperinsulinaemia in healthy men, 618
 Nagy, Z. *see* Winkler, G.
 Nahrwold, D. *see* Holstein, A.
 Nairn, C., Galbraith, D.N., Taylor, K.W. & Clements, G.B. Enterovirus variants in the serum of children at the onset of Type 1 diabetes mellitus, 509
 Nakagawa, Y. *see* Fujisawa, T.
 Nakatani, K. *see* Ito, K.
 Natsvlishvili, M. *see* Hod, M.
 Nehrlich, D. *see* Ruhnau, K.-J.

- Nejentsev, S., Sjöroos, M., Soukka, T., Knip, M., Simell, O., Lövgren, T. & Ilonen, J. Population-based genetic screening for the estimation of Type 1 diabetes mellitus risk in Finland: selective genotyping of markers in HLA-DQB1, HLA-DQA1 and HLA-DRB1 loci, 985
- Nerup, J. *see* Lorenzen, T.
- Newland, P. *see* Kilpatrick, E.S.
- Newson, R.B. *see* Lawrenson, R.
- Newton, R. *see* Elhadd, T.
- Ng, M.C.Y., Cockburn, B.N., Lindner, T.H., Yeung, V.T.F., Chow, C.-C., So, W.-Y., Li, J.K.Y., Lo, Y.M.D., Lee, Z.S.K., Cockram, C.S., Critchley, J.A.J.H., Bell, G.I. & Chan, J.C.N. Molecular genetics of diabetes mellitus in Chinese subjects: identification of mutations in glucokinase and hepatocyte nuclear factor-1 α genes in patients with early-onset Type 2 diabetes mellitus/MODY, 956
- Nicholson, M.L. *see* White, S.A.
- Nielsen, F.S. *see* Christensen, P.K.
- Nielsen, F.S., Hansen, H.P., Jacobsen, P., Rossing, P., Smidt, U.M., Christensen, N.J., Pevet, P., Vivien-Roels, B. & Parving, H.-H. Increased sympathetic activity during sleep and nocturnal hypertension in Type 2 diabetic patients with diabetic nephropathy, 555
- Nishino, T. *see* Fujisawa, T.
- Nohara, E. *see* Nagai, Y.
- Nojima, K. *see* Fujisawa, T.
- Nonaka, K. *see* Ichikawa, F.
- Norman, G. *see* Gerstein, H.C.
- Noso, S. *see* Fujisawa, T.
- Nyholm, B. *see* Ørskov, L.
- Nyström, F.H. *see* Lindström, T.
- O'Connor, T.M., Cronin, C.C., Loane, J.F., O'Meara, N.M., Firth, R.G., Shanahan, F. & O'Halloran, D.J. Type 1 diabetes mellitus, coeliac disease and lymphoma: a report of four cases, 614
- O'Halloran, D.J. *see* O'Connor, T.M.
- O'Hare, M.M.T. *see* Hargrave, D.R.
- O'Keefe, C. *see* Mason, J.
- O'Meara, N.M. *see* O'Connor, T.M.
- O'Rahilly, S.P. The metabolic syndrome: all in the mind?, 355
- Oghia, T. *see* Fujisawa, T.
- Ognibene, A. *see* Mannucci, E.
- Ohguro, N. *see* Fujisawa, T.
- Oikarinen, A. *see* Koivukangas, V.
- Okada, K. *see* Uchimoto, S.
- Okamoto, N. *see* Fujisawa, T.
- Olsen, B.S., Johannesen, J., Sjölie, A.K., Borch-Johnsen, K., Hougaard, P., Thorsteinsson, B., Pramming, S., Marinelli, K., Mortensen, H.B. & The Danish Study Group Of Diabetes In Childhood. Metabolic control and prevalence of microvascular complications in young Danish patients with Type 1 diabetes mellitus, 79
- Olsen, H. *see* Landstedt-Hallin, L.
- Olsson, A.G. *see* Lindström, T.
- Ono, M. *see* Fujisawa, T.
- Oreland, L. *see* Garpenstrand, H.
- Ørskov, L., Nyholm, B., Yde Hove, K., C., Gravholt, H., Møller, N. & Schmitz, O. Effects of the amylin analogue pramlintide on hepatic glucagon responses and intermediary metabolism in Type 1 diabetic subjects, 867
- Országhová, Z. *see* Muchová, J.
- Ottosson, A.-M. *see* Lindström, T.
- Pacini, G. *see* Trojan, N.
- Padaiga, Z., Tuomilehto, J., Karvonen, M., Dahlquist, G., Podar, T., Adojaan, B., Urbonaitė, B., Zalinkevicius, R., Brigis, G., Virtala, E., Kohtamäki, K., Cepaitis, Z. & Tuomilehto-Wolf, E. Seasonal variation in incidence of Type 1 diabetes mellitus during 1983 to 1992 in the countries around the Baltic Sea, 736
- Page, S.R. *see* Gazis, A.
- Pais, M. *see* Moro, E.
- Pan, C.Y. *see* Li, C.L.
- Pantaleoni, M. *see* Gaddi, O.
- Pappas, S.I. *see* Sotiropoulos, A.
- Pariès, J. *see* Miossec, P.
- Parillo, M. *see* Riccardi, G.
- Parslow, R.C. *see* Fear, N.T.
- Parving, H.-H. *see* Christensen, P.K.
- Parving, H.-H. *see* Nielsen, F.S.
- Pasik, C. *see* Morel, Y.
- Patel, S., Unwin, N., Bhopal, R., White, M., Harland, J., Ayis, S.A.M., Watson, W. & Alberti, K.G.M.M. A comparison of proxy measures of abdominal obesity in Chinese, European and South Asian adults, 853
- Paton, R.C. & Sathivageeswaran, M. Severe diabetic ketoacidosis, 884
- Patterson, K.R. Diabetes epidemiology: present and future, 446
- Patterson, C.C. *see* Fear, N.T.
- Patterson, C.C. *see* Laing, S.P.
- Pavan, P. *see* Trojan, N.
- Peakman, M. *see* Ejksjaer, N.T.
- Peled, Y. *see* Hod, M.
- Peppas, T.A. *see* Sotiropoulos, A.
- Perneger, T. *see* Morel, Y.
- Perry, S.V. *see* Garg, S.K.
- Persson, B. *see* Lernmark, B.
- Peto, R. *see* Baigent, C.
- Petri, H. *see* Groeneveld, Y.
- Petrie, J.R. *see* Kennon, B.
- Pevet, P. *see* Nielsen, F.S.
- Pianetti, S. *see* Moro, E.
- Picano, E. *see* Gaddi, O.
- Pierce, M., Hayworth, J., Warburton, F., Keen, H. & Bradley, C. Diabetes mellitus in the family: perceptions of offspring's risk, 431
- Pinkney, J.H., Downs, L., Hopton, M., Mackness, M.I. & Bolton, C.H. Endothelial dysfunction in Type 1 diabetes mellitus: relationship with LDL oxidation and effects of vitamin E, 993
- Pioli, R. *see* Rausch, U.
- Plehw, W.E. *see* Wood, D.M.
- Pociot, F. *see* Lorenzen, T.
- Podar, T. *see* Padaiga, Z.
- Pollock, C.A. *see* Jones, S.C.
- Pontiroli, A.E. *see* Riccardi, G.
- Potter, M. *see* Duffin, A.C.
- Poulsen, P. *see* Christiansen, C.

- Poulter, N.R. *see* Colhoun, H.M.
 Pozza, G. *see* Riccardi, G.
 Pramming, S. *see* Olsen, B.S.
 Prasad, S. Survey diabetic retinopathy screening services in England and Wales, 269
 Purewal, T. *see* Ejksjaer, N.T.
- Qiao, Z. *see* Laing, S.P.
- Rajbhandari, S., Harris, N.D., Sutton, M., Lockett, C., Eaton, S., Gadour, M., Tesfaye, S. & Ward, J.D. Digital imaging: an accurate and easy method of measuring foot ulcers, 339
 Ramachandran, A. *see* Snehalatha, C.
 Rausch, U., Ziegler, D., Piolot, R., Schwippert, B., Benthake, H., Schultheiss, H.-P. & Tschöpe, D. Platelet activation in diabetic cardiovascular autonomic neuropathy, 848
 Ravina, A., Slezak, L., Mirsky, N., Bryden, N.A. & Anderson, R.A. Reversal of corticosteroid-induced diabetes mellitus with supplemental chromium, 164
 Reagon, G. *see* Levitt, N.S.
 Reaven, G.M. *see* Morel, Y.
 Reddy, S.S.K. *see* Gerstein, H.C.
 Reilly, A. *see* Clarke, C.F.
 Reljanovic, M. *see* Ruhnau, K.-J.
 Mukherjee, A. Living with Diabetes for Those Treated with Diet and Tablets, 268
 Winkler, A. Clinical Management of Diabetic Neuropathy, 267
 Reviron, D. *see* Zevaco-Mattei, C.
 Riccardi, G., Parillo, M., Turco, S., Rivellese, A.A., Ventura, M.R., Contadini, S., Marra, G., Monteduro, M., Santeusano, F., Brunetti, P., Librenti, M.C., Pontiroli, A.E., Vendani, P., Pozza, G., Bergamini, L. & Bianchi, C. Efficacy and safety of acarbose in treatment of Type 1 diabetes mellitus: a placebo-controlled, double-blind, multicentre study, 228
 Richmond, K.L. *see* Kilpatrick, E.S.
 Rios, M. *see* Costa, A.
 Rivellese, A.A. *see* Riccardi, G.
 Roberts, N.B. *see* Wiener, K.
 Robinson, A. *see* Alberti, K.G.M.M.
 Rodríguez-Villar, C., Conget, I., Casamitjana, R., Ercilla, G. & Gomis, R. Effects of insulin administration in a group of high-risk, non-diabetic, first-degree relatives of Type 1 diabetic patients: an open pilot trial, 160
 Roglic, G. *see* Collado-Mesa, F.
 Rosenqvist, U. *see* Garpenstrand, H.
 Rosenthal, J.M. Living with Diabetes for those Treated with Insulin, 707
 Rosmond, R. *see* Björntorp, P.
 Rossing, P. *see* Christensen, P.K.
 Rossing, P. *see* Nielsen, F.S.
 Rossouw, K. *see* Levitt, N.S.
 Rotella, C.M. *see* Mannucci, E.
 Rotimi, C. *see* Wilks, R.
 Ruge, D. *see* Willms, B.
 Ruhnau, K.-J., Meissner, H.P., Finn, J.-R., Reljanovic, M., Lobisch, M., Schütte, K., Nehrdich, D., Tritschler, H.J., Mehnert, M. & Ziegler, D. Effects of 3-week oral treatment with the antioxidant thioctic acid (α -lipoic acid) in symptomatic diabetic polyneuropathy, 1040
 Rydelius, P.-A. *see* Lernmark, B.
 Rydén Ahlgren, Å., Sundkvist, G., Wollmer, P., Sonesson, B. & Länne, T. Increased aortic stiffness in women with Type 1 diabetes mellitus is associated with diabetes duration and autonomic nerve function, 291
 Ryder, R.E.J. *see* Kong, N.
- Sakakibara, F. *see* Suzuki, K.
 Sakamoto, N. *see* Suzuki, K.
 Salamon, F. *see* Winkler, G.
 Salmela, P.I. *see* Koivukangas, V.
 Sanderson, E. *see* Zhao, H.X.
 Sano, T. *see* Suzuki, K.
 Santeusano, F. *see* Riccardi, G.
 Sasaki, H. *see* Suzuki, K.
 Sathivageeswaran, M. *see* Paton, R.C.
 Satyavani, K. *see* Snehalatha, C.
 Saunders, H.J. *see* Jones, S.C.
 Schaper, F. *see* Hanefeld, M.
 Schaumkel, J. *see* Simmons, D.
 Schernthaner, G. *see* Festa, A.
 Schmitz, O. *see* Ørskov, L.
 Schultheiss, H.-P. *see* Rausch, U.
 Schultz, C. *see* Abrahá, A.
 Schütte, K. *see* Ruhnau, K.-J.
 Schwippert, B. *see* Rausch, U.
 Scobie, I.N. Spontaneous muscle infarction in diabetes: a pain in the leg, 91
 Scott, D.J. *see* Simmons, D.
 Shanahan, F. *see* O'Connor, T.M.
 Shannon, S. *see* Gerstein, H.C.
 Shaw, J.E. *see* Van Schie, C.H.M.
 Shaw, K.M. *see* Meeking, D.R.
 Shen, G.-Q. *see* Fujisawa, T.
 Sheridan, B. *see* Hunter, S.J.
 Sherriff, C. *see* Davies, M.J.
 Shih, K.C. *see* Hwu, C.M.
 Shintani, M. *see* Fujisawa, T.
 Shnawa, N. *see* Festa, A.
 Shore, A.C. *see* Lee, B.C.
 Siegert, G. *see* Hanefeld, M.
 Silink, M. *see* Duffin, A.C.
 Simell, O. *see* Nejentsev, S.
 Simmons, D. Screening for Type 2 diabetes mellitus in the UK Indo-Asian population, 795
 Simmons, D., Schaumkel, J., Cecil, A., Scott, D.J. & Kenealy, T. High impact of nephropathy on five-year mortality rates among patients with Type 2 diabetic mellitus from a multi-ethnic population in New Zealand, 926
 Simonin, G. *see* Zevaco-Mattei, C.
 Sinha, K. *see* Heinemann, L.
 Sivasankari, S. *see* Snehalatha, C.
 Sjølie, A.K. *see* Olsen, B.S.
 Sjöroos, M. *see* Nejentsev, S.
 Skliros, E. *see* Sotiropoulos, A.
 Slater, S.D. *see* Laing, S.P.
 Slater, S.D. *see* Laing, S.P.

- Slezak, L. *see* Ravina, A.
 Small, M. *see* Kennon, B.
 Smidt, U.M. *see* Nielsen, F.S.
 Smirnof, I. *see* Tentolouris, N.
 Smith, A. The Diabetes Annual 11, 797
 Smith, A.L. & Laing, P.W. Spontaneous tibial compartment syndrome in Type 1 diabetes mellitus, 168
 Smith, A.W.M. *see* Laing, S.P.
 Smith, A.W.M. *see* Laing, S.P.
 Snehalatha, C., Satyavani, K., Sivasankari, S., Vijay, V. & Ramachandran, A. Insulin secretion and action in different stages of glucose tolerance in Asian Indians, 408
 So, W.-Y. *see* Ng, M.C.Y.
 Son, H.-Y. *see* Song, K.-H.
 Sonesson, B. *see* Rydén Ahlgren, Å.
 Song, K.-H., Ahn, Y.-B., Yoon, K.-H., Cha, B.-Y., Lee, K.-W., Son, H.-Y. & Kang, S.-K. The effect of long-term glycaemic control on serum lipoprotein(a) levels in patients with Type 2 diabetes mellitus, 1036
 Sönksen, P.H. *see* Coppini, D.V.
 Soper, C. *see* Zhao, H.X.
 Sotiropoulos, A., Peppas, T.A., Skliros, E., Apostolou, O., Kotsini, V. & Pappas, S.I. Low prevalence of hepatitis C virus infection in Greek diabetic patients, 250
 Soukka, T. *see* Nejentsev, S.
 Southampton, J. *see* Betts, P.R.
 Speer, G. *see* Winkler, G.
 Spencer, S. *see* Mantey, I.
 Spiers, N. *see* Goyder, E.C.
 Spittle, M. *see* Jude, E.B.
 Springer, M.P. *see* Groeneveld, Y.
 Stahl, M. & Berger, W. Higher incidence of severe hypoglycaemia leading to hospital admission in Type 2 diabetic patients treated with long-acting versus short-acting sulphonylureas, 586
 Starkie, M. *see* Buysschaert, M.
 Stella, P. *see* Kerényi, Z.
 Stenhouse, E. *see* Zhao, H.X.
 Stevens, L.K. *see* Collado-Mesa, F.
 Stewart, R.J. & Liolitsa, D. Type 2 diabetes mellitus, cognitive impairment and dementia, 93
 Steyn, K. *see* Levitt, N.S.
 Stratton, I.M. *see* Abrahá, A.
 Suematsu, C. *see* Uchimoto, S.
 Sumida, Y. *see* Ito, K.
 Sundkvist, G. *see* Gottsäter, A.
 Sundkvist, G. *see* Rydén Ahlgren, Å.
 Sutton, M. *see* Rajbhandari, S.
 Suzuki, K., Kawamura, T., Sakakibara, F., Sasaki, H., Sano, T., Sakamoto, N. & Hotta, N. Effect of aldose reductase inhibitors on glucose-induced changes in sorbitol and myo-inositol metabolism in human neutrophils, 67
 Swerdlow, A.J. *see* Laing, S.P.
 Tabák, Á.G. *see* Kerényi, Z.
 Takamura, T. *see* Nagai, Y.
 Tamás, G. *see* Kerényi, Z.
 Tambov, J. *see* Betts, P.R.
 Tattersall, R.B. A paper which changed clinical practice (slowly). Jacob Holler on potassium deficiency in diabetic acidosis (1946), 978
 Taylor, D.J., Fisher, J., Jacob, J. & Tooke, J.E. The use of digital cameras in a mobile retinal screening environment, 680
 Taylor, K.W. *see* Nairn, C.
 Taylor, R. *see* Carron Brown, S.
 Taylor, R. *see* Kyne-Grzebalski, D.
 Temelkova-Kurktschiew, T. *see* Hanefeld, M.
 Tentolouris, N., Jude, E.B., Smirnof, I., Knowles, E.A. & Boulton, A.J.M. Methicillin-resistant *Staphylococcus aureus*: an increasing problem in a diabetic foot clinic, 767
 Tesfaye, S. *see* Rajbhandari, S.
 Testa, R. *see* Gregorio, F.
 The Danish Study Group Of Diabetes In Childhood *see* Olsen, B.S.
 The EURODIAB IDDM Complications Study Group *see* Collado-Mesa, F.
 The Microalbuminuria Collaborative Study Group. Predictors of development of microalbuminuria in patients with Type 1 diabetes mellitus: a seven-year prospective study, 918
 The Ramadan Study Group *see* Akram, J.
 The Scandinavian Insulin-Sulphonylurea Study Group Research Team. *see* Landstedt-Hallin, L.
 The Troglitazone Study Group *see* Buysschaert, M.
 Thomas, P.K. *see* Ejksjaer, N.T.
 Thomas, S.M. Microalbuminuria. Biochemistry, Epidemiology and Clinical Practice, 707
 Thorne, S. *see* Meeking, D.R.
 Thorsteinsson, B. *see* Olsen, B.S.
 Tiengo, A. *see* Trojan, N.
 Tison, P. *see* Muchová, J.
 Todd, J.A. *see* Ahmed, S.
 Tomlinson, D.R. *see* Diemel, L.T.
 Tomlinson, S. *see* Hawthorne, K.
 Tooke, J.E. & Goh, K.L. Vascular function in Type 2 diabetes mellitus and pre-diabetes: the case for intrinsic endotheliopathy, 710
 Tooke, J.E. *see* Brash, P.D.
 Tooke, J.E. *see* Lee, B.C.
 Tooke, J.E. *see* Taylor, D.J.
 Tortorella, G. *see* Gaddi, O.
 Tritschler, H.J. *see* Ruhnau, K.-J.
 Trojan, N., Pavan, P., Iori, E., Vettore, M., Marescotti, M.C., Macdonald, I.A., Tiengo, A., Pacini, G. & Avogaro, A. Effect of different times of administration of a single ethanol dose on insulin action, insulin secretion and redox state, 400
 Tsang, L.W.W. *see* Ko, G.T.C.
 Tschoepe, D. *see* Rausch, U.
 Tsuchihashi, K. *see* Ito, K.
 Tsumara, K. *see* Uchimoto, S.
 Tula, J. *see* Betts, P.R.
 Tuomilehto, J. *see* Padaiga, Z.
 Tuomilehto-Wolf, E. *see* Padaiga, Z.
 Turco, S. *see* Riccardi, G.
 Turner, R.C. *see* Farmer, A.
 Twyman, S. *see* Betts, P.R.
 Uchimoto, S., Tsumara, K., Hayashi, T., Suematsu, C., Endo, G., Fujii, S. & Okada, K. Impact of cigarette smoking on the incidence of Type 2 diabetes mellitus in middle-aged Japanese men: the Osaka Health Survey, 951
 Ueda, H. *see* Fujisawa, T.

- Unwin, N. *see* Patel, S.
 Urbonaite, B. *see* Padaiga, Z.
- Vaag, A. *see* Henriksen, J.E.
 Vadas, L. *see* Morel, Y.
 Vague, P. *see* Zevaco-Mattei, C.
 Valensi, E. *see* Miossec, P.
 Van Der Zee, K.I. *see* Goddijn, P.P.M.
 Van Schie, C.H.M., Abbott, C.A., Vileikyte, L., Shaw, J.E., Hollis, S. & Boulton, A.J.M. A comparative study of the Podotrack, a simple semiquantitative plantar pressure measuring device, and the optical pedobarograph in assessment of pressures under the diabetic foot, 154
 Varga, A. *see* Gaddi, O.
 Velussi, M. *see* Gregorio, F.
 Vendani, P. *see* Riccardi, G.
 Vennart, W. *see* Brash, P.D.
 Ventura, M.R. *see* Riccardi, G.
 Vergani, D. *see* Ejksjaer, N.T.
 Vettore, M. *see* Trojan, N.
 Vialettes, B. *see* Zevaco-Mattei, C.
 Vijay, V. *see* Snehalatha, C.
 Vileikyte, L. *see* Van Schie, C.H.M.
 Virtala, E. *see* Padaiga, Z.
 Vivien-Roels, B. *see* Nielsen, F.S.
 Volkov, I. *see* Betts, P.R.
- Wang, H.Y. *see* Li, C.L.
 Wang, H.Z. *see* Li, C.L.
 Wang, J.H. *see* Li, C.L.
 Wang, J.-S. *see* Yeh, S.-P.
 Wang, Y.-C. *see* Yeh, S.-P.
 Warburton, F. *see* Pierce, M.
 Ward, J.D. *see* Rajbhandari, S.
 Wareham, N.J. *see* Byrne, C.D.
 Warner, G. *see* Diemel, L.T.
 Warram, J.H. *see* Malecki, M.T.
 Watkins, P.J. *see* Ejksjaer, N.T.
 Watkins, P.J. *see* Winkler, A.S.
 Watson, W. *see* Patel, S.
 Watts, A. *see* Abrahama, A.
 Watts, G.F. *see* Meeking, D.R.
 Waugh, N.R. *see* Laing, S.P.
 Weng, C. *see* Coppini, D.V.
 Werther, G.A. *see* Clarke, C.F.
 Weston, P.J. & Gill, G.V. Is undetected autonomic dysfunction responsible for sudden death in Type 1 diabetes mellitus? The 'dead in bed' syndrome revisited, 626
 Weyer, C. *see* Heinemann, L.
 White, D.J. *see* Gazis, A.
 White, M. *see* Patel, S.
 White, S.A., Nicholson, M.L. & London, N.J.M. Vascularized pancreas allotransplantation – clinical indications and outcome, 533
 Whitehead, H.M. *see* Hunter, S.J.
 Wiener, K. & Roberts, N.B. Fasting plasma glucose diagnostic criteria for diabetes mellitus, 970
 Wiggam, M.I. *see* Hunter, S.J.
 Wilks, R., Rotimi, C., Bennett, F., McFarlane-Anderson, N., Kaufman, J.S., Anderson, S.G., Cooper, R.S., Cruickshank, J.K. & Forrester, T. Diabetes mellitus in the Caribbean: results of a population survey from Spanish Town, Jamaica, 875
 Williams, F.L.R. *see* Mires, G.J.
 Williams, T.J. *see* Lawrenson, R.
 Willis, A.M., Coulter, W.A., Fulton, C.R., Hayes, J.R., Bell, P.M. & Lamey, P.-J. Oral candidal carriage and infection in insulin-treated diabetic patients, 675
 Willms, B. & Ruge, D. Comparison of acarbose and metformin in patients with Type 2 diabetes mellitus insufficiently controlled with diet and sulphonylureas: a randomized, placebo-controlled study, 755
 Wilson, A. *see* Bryant, V.M.
 Winkler, A.S., Marsden, J., Chaudhuri, K.R., Hambley, H. & Watkins, P.J. Erythropoietin depletion and anaemia in diabetes mellitus, 813
 Winkler, G., Lakatos, P., Salamon, F., Nagy, Z., Speer, G., Kovács, M., Harmos, G., Dworak, O. & Cseh, K. Elevated serum TNF- α level as a link between endothelial dysfunction and insulin resistance in normotensive obese patients, 207
 Winkler, S.I. *see* Reviewed By, A.
 Wollmer, P. *see* Rydén Ahlgren, Å.
 Wood, D.M., Plehwe, W.E. & Colman, P.G. Aspirin usage in a large teaching hospital diabetes clinic setting, 605
 Wood, L. *see* Kyne-Grzebalski, D.
 Wu, H. *see* Yeh, S.-P.
- Xia, F.C. *see* Li, C.L.
- Yale, J.F. *see* Gerstein, H.C.
 Yamada, K. *see* Fujisawa, T.
 Yamada, K. *see* Ichikawa, F.
 Yamamoto, E. *see* Fujisawa, T.
 Yamashita, H. *see* Nagai, Y.
 Yamato, E. *see* Fujisawa, T.
 Yang, Y. *see* Malecki, M.T.
 Yano, Y. *see* Ito, K.
 Yde Hove, K. *see* Ørskov, L.
 Yeh, S.-P., Wang, J.-S., Wu, H., Yu, M.-S., Hsueh, E.-J. & Wang, Y.-C. Nesidioblastosis, myelodysplastic syndrome and nodular diabetic glomerulosclerosis in an elderly nondiabetic woman: an autopsy report, 437
 Yeung, V.T.F. *see* Ng, M.C.Y.
 Yoon, K.-H. *see* Song, K.-H.
 Young, R. *see* Mason, J.
 Young, R.J. *see* Mason, J.
 Yu, M.-S. *see* Yeh, S.-P.
 Yuan, X. *see* Ichikawa, F.
 Yudkin, J.S. & Chaturvedi, N. Developing risk stratification charts for diabetic and nondiabetic patients, 219
 Yue, D.K. *see* McFarlane, R.
- Zalinkevicius, R. *see* Padaiga, Z.
 Zambon, C. *see* Moro, E.
 Zanone, M.M. *see* Ejksjaer, N.T.
 Zerbini, G., Mangili, R. & Luzi, L. Higher post-absorptive C-peptide levels in Type 1 diabetic patients without renal complications, 1048

- Zevaco-Mattei, C., Reviron, D., Atlan-Gepner, C., Botti, G., Simonin, G., Lassmann-Vague, V., Vague, P., Mercier, P. & Viallettes, B. Relationship between HLA-DQ and -DR genotypes and clinical characteristics in a French population of Type 1 diabetic patients, 201
- Zhao, H.X., Stenhouse, E., Soper, C., Hughes, P., Sanderson, E., Baumer, J.H., Demaine, A.G. & Millward, B.A. Incidence of childhood-onset Type 1 diabetes mellitus in Devon and Cornwall, England, 1975-1996, 1030
- Zhu, Y. *see* Li, C.L.
- Ziegler, D. *see* Rausch, U.
- Ziegler, D. *see* Ruhnau, K.-J.
- Zilkens, R. *see* McFarlane, R.
- Zkhir, F. *see* Miossec, P.

Subject Index

- ACE genotype, 448
inhibitors, 62
1,5-anhydroglucitol, 496
24-h blood pressure, 555
abdominal obesity, 853
acarbose, 228, 755
accident (road traffic), 282
acetylcholine, 298, 304
active and passive smoking, 31
adaptation, 14
adipose tissue, 1000
adolescents, 125, 550
advanced glycation and products, 93
aetiology, 509
aldose reductase, 1044
gene, 744
inhibitor, 67
Alzheimer's disease, 93
amniotic fluid, 568
anaemia, 813
android-type obesity, 207
angiotensin converting enzyme polymorphism, 448
antioxidant systems, 74
antioxidants, 1040
apolipoprotein B, 663
apolipoprotein E, 93
arterial
blood pressure, 388
distensibility, 291
hypertension, 41
stiffness, 291
Asian Indians, 408
Asian, 131
aspirin, 605
atherosclerosis, 62
atherosclerotic risk factors, 212
autoantibodies, 544
autonomic nervous system, 544
autonomic neuropathy, 49, 291, 544, 550, 813
awareness, 41
 β -cell function, 408, 910
dysfunction, 731
belief in medicine, 238
biguanides, 273
blood flow, 298, 731
blood glucose, 2
monitoring, 702
variability, 319
blood pressure, 358, 550, 918
blood rheology, 424
bradykinin, 304
British Pakistani, 591
cRT-PCR, 113
candidal load, 675
candidal species, 675
captopril, 482
cardiovascular risk, 35, 358
Caribbean, 875
case-control study, 1025
catecholamine, 1000
cause-specific mortality rates, 466
cell growth, 932
central obesity, 373
cerebrovascular disease, 93
childhood, 509, 1030
diabetes, 762
Type 1 diabetes mellitus, 1025
children, 598, 736
Chinese, 670, 956
cholesterol, 598
cigarette smoking, 951
clinic attendance, 687
clinical practice guidelines, 964
coeliac disease, 614
cognitive
decline, 93
impairment, 93
cohort studies, 459, 466
colour fundus photography, 609
combination therapy, 147
combined therapy, 827
compartment syndrome, 168
complications, 49, 62, 544, 773
continuing medical education, 964
contraception, 395
control, 41
coronary heart disease, 219, 697
cotinine, 31
C-peptide, 201
C-peptide, 207
dementia, 93
denial, 238
depression, 14
diabetes and pregnancy, 645
diabetes complications, 926
diabetes mellitus, 23, 113, 219, 245, 250, 291, 437, 448, 500, 533, 563, 605, 632, 675, 692, 697, 801, 889, 964, 1000
diabetes, 35, 282, 298, 408, 687, 762, 985, 1000
diabetic
cardiovascular autonomic neuropathy, 848
complications, 448, 605
control, 773
foot, 154, 801, 889
gastroparesis, 488
glomerulosclerosis, 437
ketoacidosis, 347
microangiopathy, 522, 1044
nephropathy, 55, 245, 388, 522, 555, 926, 932
polyneuropathy, 1040
retinopathy, 522, 1044
diagnosis, 343
diet, 755
digital, 680
image, 339
dinucleotide repeat, 1044
driving, 282
dyslipidaemia, 93, 373
early-onset Type 2 diabetes mellitus, 956
efficacy, 228
elderly, 1007
endothelial dysfunction, 207, 710
endothelin-1, 207
endothelium, 62, 298, 304, 841, 985

- endothelium-derived factors, 298
- England, 35, 773
- enterovirus, 509
- epidemiological, 1030
 - research, 23
- erythrocytes, 424
- erythropoietin, 813
- Estonia, 736
- ethanol, 400
- ethnic group, 131
- ethnicity, 853
- extracellular
 - fluid volume, 555
 - matrix, 932
- eye screening, 609
- familial, 598
- families, 431
- fasting, 861
 - glucose, 343
- fatty acid binding protein, 119
- fetal
 - development, 710
 - macrosomia, 568
- fibrinogen, 522
- Finland, 736
- flow cytometry, 848
- foot, 125
 - screening, 609
 - ulcer, 339
- forearm blood flow, 841
- Framingham heart study, 697
- gastric surgical reconstruction, 488
- gastrointestinal symptoms, 670
- gastromyopathy, 488
- gene polymorphism, 119
- general practice, 687
- genetic
 - screening, 985
 - susceptability, 1044
- genetics, 193
- gestational diabetes, 138
- glomerular filtration rate, 388
- glucagon, 867
- glucose
 - clamp, 332
 - control, 573
 - disposal, 645
 - tolerance, 408
- glycaemic control, 23, 147, 918, 1036
- glycated haemoglobin A, 514
- glycated haemoglobin, 598
- glycation, 663
- Greece, 250
- guidelines, 35, 939
- HLA, 985
- HLA-DQ, 201
- HLA-DR, 201
- HNF-1 α , 956
- HNF-4 α , 956
- HPA axis, 373
- haemoglobin A_{1c}, 14
- health beliefs, 431
- health education, 591
- hepatitis C virus, 250
- hepatitis, 250
- hepatocyte nuclear factor 1- α , 731
- hepatocyte nuclear factor-4 α , 193
- high resolution ultrasound, 841
- high-density lipoprotein, 415
- history of insulin therapy, 978
- hospital admission, 687
- human, 113, 250
- hypercholesterolaemia, 219, 749
- hyperglycaemia, 23, 93, 282, 598, 702
- hypertension, 219, 373, 482
- hypoglycaemia, 312, 325, 437
- hypokalaemia, 978
- hypothalamus, 373
- IDDM2, 910
- IGFBP-1, 820
- IGT, 408
- impaired fasting glucose, 212
- impaired glucose tolerance, 212, 650
- incidence, 736, 1030
- induced abortion, 472
- insulin, 282, 332, 568, 820, 827, 867, 910
 - action enhancers, 179
 - analogues, 319
 - dose, 773
 - infusion, 347
 - lispro - Humalog®, 384
 - pulsability, 910
 - resistance, 93, 119, 373, 482, 1007
 - secretion, 400, 408, 910
 - sensitivity, 400, 749
 - therapy, 23
- insulin treatment, 160, 312
- insulin-treated diabetes mellitus, 459, 466
- intensive insulin therapy, 319
- intermediary metabolism, 867
- intima media thickness, 212
- ischaemic heart disease, 762
- Jamaica, 875
- Japanese population, 119
- ketoacidosis, 978
- laboratory information systems, 697
- labour, 574
- lactic acidosis, 692
- Latvia, 736
- limited joint mobility, 125
- lipid lowering agent, 424
- lipid lowering, 35, 500
- lipolysis, 1000
- lipoprotein(a), 1036
- lipoproteins, 820
- lispro, 319, 325, 861
- literacy, 591
- Lithuania, 736
- long and short-acting sulphonylureas, 586
- long-acting insulin analogues, 332
- long-term efficacy, 384
- low density lipoproteins, 415, 663
- lymphoma, 614
- MODY, 193
- macrosomia, 702
- macrovascular disease, 605
- magnetic resonance imaging, 55
- magnetization transfer, 55
- major histocompatibility complex, 201
- maturity-onset diabetes of the young (MODY), 731, 956
- measurement, 339
- medical audit, 939
- medical care, 238
- melatonin, 555
- metabolic syndrome, 212, 373, 853, 1007
- metformin, 650, 692, 755, 1000, 1007
- metformin-associated lactic acidosis, 237
- microalbuminuria, 358, 550, 841, 918
- microcirculation, 731
- microdialysis, 1000
- microsatellite marker, 744
- microvascular complications, 125
- middle-aged, 951
- minimal model, 400
- minisatellite, 910
- mixed dementia, 93
- mobile, 680
- mortality, 2, 926
 - rate, 459
- multiple daily injections, 319
- multiple logistic regression, 522
- muscle infarction, 168
- myelodysplastic syndrome, 437
- myo-inositol, 67
- neonatal hypoglycaemia, 568, 574
- nephropathy, 298, 533, 744
- nerve growth factor, 113
- nesidioblastosis, 437
- neuropathy, 744
- Neuropathy Disability Score, 1040
- neuropathy, 113
- neurotrophin, 113
- neutrophil, 67
- new criteria for diabetes mellitus, 951
- non-esterified fatty acids, 1007
- non-insulin dependent, 820
- obesity, 408, 650, 875
- oral contraceptive, 395
- oral glucose tolerance test, 343

- oral hypoglycaemic drugs, 237
oxidation, 415, 663
oxidized LDL, 985
- PMN leucocytes, 74
pain, 632
pancreas transplant, 533
parental occupation, 1025
perceived stress, 238
perinatal
 care, 645
 outcome, 645
peripheral neuropathy, 632
peri-urban, 946
peroxisome proliferator-activated receptor γ , 179
pharmacodynamics, 332
photography, 514
physical activity, 946
pioglitazone, 179
plantar
 fat pad, 55
 pressure, 154
platelet activation, 848
Polynesians, 926
polyol pathway, 67
post-prandial glucose excursions, 384
post-stroke dementia, 93
postural hypotension, 813
pramlintide, 867
prayer sign, 125
prediction, 985
pregnancy outcome, 472
pregnancy, 395, 574, 702
pressure measurement device, 154
prevalence, 41, 946
prevention, 160, 431, 801
primary care, 939, 964
primary health care, 514
prospective study, 951
proxy measures of abdominal obesity, 853
psychological functioning, 14
psychology, 233
- quality of care, 939
quality of life, 23
- Ramadan, 861
recurrent foot ulceration, 245
redox state, 400
register, 1030
renal impairment, 237
renal threshold, 496
respiratory paralysis, 978
retinopathy, 533, 680, 744
risk factor, 245
risk for ulceration, 154
risk, 431
 perceptions, 233
rosiglitazone, 179
Russia, 773
- safety, 228
screening device, 154
screening, 131, 138, 233, 496, 680
seasonality, 736
semicarbazide-sensitive amine oxidase (SSAO), 514
serum
 lipids, 500
 TNF- α levels, 207
severe hypoglycaemia, 586
sex, 591
simvastatin, 749
slit lamp biomicroscopy, 609
smoking, 219
snacks, 325
social
 mixing, 1025
 support, 238
South Africa, 946
spontaneous abortion, 472
statin, 424
stillbirth, 472
strategy, 500
stress echocardiography, 762
suction blisters, 563
- sulphonylurea, 147, 755, 820, 827, 1007
Sweden, 514, 736
sympathetic ganglion, 544
sympathetic nervous system, 555
systematic review, 801, 889
- TGF- β , 841
thiazide diuretic, 482
thiazolidinediones, 179
thiobarbituric acid reactive products, 74
thioctic acid, 1040
time-action profile, 332
tocopherol, 304
Total Symptom Score, 1040
treatment, 41, 889
treatment, 889
tricyclic antidepressants, 632
troglitazone, 179
tubulointerstitium, 932
Type 1 diabetes mellitus, 14, 41, 125, 160, 168, 201, 228, 312, 325, 347, 384, 395, 459, 472, 509, 550, 563, 574, 598, 614, 702, 736, 813, 867, 918, 985, 1030
Type 2 diabetes mellitus, 2, 49, 74, 93, 119, 131, 147, 237, 304, 343, 358, 373, 388, 424, 431, 663, 670, 710, 749, 755, 827, 875, 926, 946, 951, 1007, 1036
- ubiquinone (coenzyme Q₁₀), 312
uptake, 609
urban population, 609
- VNTR, 910
vascular dementia, 93
vascular, 62
viral, 250
vitamin E, 985
- WHO criteria, 343
wound healing, 563

